

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	169	"264"/\$.cols. and (extrusion and rubber and filament and mandrel)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L2	135	"156"/\$.cols. and (extrusion and rubber and filament and mandrel)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L3	130	"264"/\$.cols. and (extrusion and rubber and filament and mandrel and tube)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L4	93	"156"/\$.cols. and (extrusion and rubber and filament and mandrel and tube)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L5	1	"156"/64.cols. and (extrusion and filament and mandrel and tube)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L6	308	((controlling or measuring or measure or detect or detector or controller or control) with thickness) and (extrusion and filament and mandrel and tube)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23

L7	160	((controlling or measuring or measure or detect or detector or controller or control) with thickness) and (extrusion and rubber and filament and mandrel and tube)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L8	14	("4118162") or ("4324607") or ("4710255") or ("4753699") or ("4954194") or ("5335167").PN.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L9	6	("4118162") or ("4324607") or ("4710255") or ("4753699") or ("4954194") or ("5335167").PN.	US_PGPUB; USPAT	OR	OFF	2008/03/17 11:23
L10	980	(156/173).CCLS.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L11	76	156/17\$.ccls. and mandrel and rubber and (bobbin or creel)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L12	76	("2723705" "2863204" "3108921" "3138511" "3306797" "3399094" "3470051" "3503828" "3532579").PN. OR ("3769127").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2008/03/17 11:23

L13	28	"2723705" "2731067" "3249481" "3306797" "3676258" "3769127" "3855031" "4125423" "4171626" "4214932" "4248062" "4527978").PN. OR ("5127975").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/17 11:23
L14	351	(156/174).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L15	784	(156/175).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L16	1142	(156/172).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L17	557	(156/169).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L18	49	("2467999" "3148102" "3574040" "3715252" "3844822" "4078957" "4409270" "4428992" "4456495" "4569716" "4780166" "4869761" "H000219").PN. OR ("5266139").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/17 11:23

L19	6	("20040144478" "4445957" "4699683" "5022952" "5266139" "6048427").PN. OR ("7093638").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2008/03/17 11:23
L20	1624	(156/64).OCLS.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L21	495	(156/351).CCLS.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L22	299	(156/360).OCLS.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L23	1072	(156/361).OCLS.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L24	883	(156/378).CCLS.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23
L25	261	(156/379).OCLS.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:23

L26	11	"4171626" "4185472" "4187135" "4236386" "4238539" "4238540" "4259382" "4265951" "4863416" "5549947" "5851152").PN. OR ("7160409").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2008/03/17 11:23
L27	2	((extruding or extrusion or extruder) with rubber) and mandrel and ((thickness or depth) with (sensor or detector or monitor)) and (bobbin or creel)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L28	20	((extruding or extrusion or extruder) with rubber) and mandrel and ((thickness or depth) with (sensor or detector or monitor))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L29	11	((extruding or extrusion or extruder) with resin) and mandrel and ((thickness or depth) with (sensor or detector or monitor)) and (filament or fiber)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L30	26	"156"/\$.cds. and rubber and mandrel and ((thickness or depth) with (sensor or detector or monitor))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L31	48	"156"/\$.cds. and rubber and tube and ((thickness or depth) with (sensor or detector or monitor))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23

L32	349	"156"/\$.ccls. and rubber and tube and ((thickness or depth) with (controller or controlling or control))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L33	38	"156"/\$.ccls. and rubber and tube and ((thickness or depth) with (controller or controlling or control) with speed)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L34	7	"156"/37\$.ccls. and rubber and tube and ((thickness or depth) with (controller or controlling or control))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L35	17	"156"/36\$.ccls. and rubber and tube and ((thickness or depth) with (controller or controlling or control))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L36	17	"156"/35\$.ccls. and rubber and tube and ((thickness or depth) with (controller or controlling or control))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L37	153	mandrel and rubber and tube and ((thickness or depth) with (controller or controlling or control)) and (fiber or filament) and (winding)	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L38	12	"264"/\$.ccls. and rubber and mandrel and ((thickness or depth) with (sensor or detector or monitor))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23
L39	7	"264"/\$.ccls. and rubber and ((thickness or depth) with (sensor or detector or monitor) with (speed or velocity))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:23

L40	21	("2657431" "2964796" "3538207" "3936519" "4017232").PN. OR ("4118162").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2008/03/17 11:23
L41	2	rubber.clm. and extrusion.clm. and mandrel.clm. and speed.clm. and thickness.clm. and filament.clm. and angle.clm.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 11:54

3/ 17/ 08 12:06:36 PM

C:\ Documents and Settings\ gkoch1\ My Documents\ EAST\ workspaces \us10518931_fiber_reinforced_tubes.wsp